

**Listing of Claims:**

1. (Original) A universal adapter clip used in connection with a container that is received within a soap dispenser having a key-plate, the clip comprising:
  - a) a hollow body attachable to the container;
  - b) a flange extending radially outward from said body; and
  - c) a tab extending rearwardly from said body and axially spaced from said flange to receive the key-plate therebetween upon insertion of the container within the dispenser.
2. (Original) The universal adapter clip of Claim 1, wherein said flange is located at an upper vertical extremity of said body and said tab is located at a lower vertical extremity of said body.
3. (Original) The universal adapter clip of Claim 1 further comprising a rim extending downwardly from a radial outer extremity of said flange, wherein said rim is adapted to contact a top surface of the key-plate.
4. (Original) The universal adapter clip of Claim 3, wherein said tab includes a first portion extending rearward from said body and a second portion extending rearward from said first portion and stepped downward relative to said first portion.
5. (Original) The universal adapter clip of Claim 4, wherein said first portion and said second portion form a vertically extending shoulder adapted to engage the key-plate upon insertion.

6. (Original) The universal adapter clip of Claim 1, wherein said body is semi-circular and opens rearwardly relative to the dispenser.
7. (Original) The universal adapter clip of Claim 1, wherein said body is opened at either axial end and adapted to receive a portion of the container therethrough.
8. (Currently Amended) The universal adapter clip of Claim 7, wherein said ~~top~~-flange includes a radially inward extending portion adapted to grasp a projecting surface on the container.
9. (Original) A universal adapter clip of Claim 1 that defines a notch adapted to receive a locating projection on the container.
10. (Original) The universal adapter clip of Claim 1 further comprising a hold formed on said body.
11. (Original) The universal adapter of Claim 10, wherein said hold includes a pair of vertically extending ribs extending forwardly from said body opposite the key-plate.
12. (Original) A universal adapter clip for securing a container within a soap dispenser, where the dispenser has a receiver, the universal adapter clip comprising a body attachable to the container; a pair of tabs extending rearwardly from said body, said tabs being insertable beneath the receiver; a rim formed on a top portion of said body said rim extending over at least a portion of the receiver, wherein the receiver is at least partially received between said rim and said tabs.
13. (Original) A universal adapter clip for securing a container within a soap dispenser, where the dispenser has a key-plate, the universal adapter clip comprising a semi-

circular body open on a rearward side to receive a portion of the container; an annular base defining an opening through which a nozzle of the dispenser extends; a pair of tabs extending rearward from said bottom flange, wherein each end of said tabs steps downward from said bottom flange to extend beneath the key-plate upon insertion; a top flange formed at an upper edge of said body extending radially inward to support said body on a portion of the container and extending radially outward to form a radially outward extending portion adapted to fit over the key-plate, wherein said radially outward extending portion and said end of said tabs are axially spaced to receive the key-plate therebetween.

14. (Original) The universal adapter clip of Claim 13 further comprising a rim extending downward from said top flange, wherein said rim is adapted to engage a top surface of said key-plate.